

## Publikations-Verzeichnis

### Publikationen in Fachzeitschriften (*fett: ISI*)

- (1) Gischler, E. (1992): Das devonische Atoll von Iberg und Winterberg im Harz nach Ende des Riffwachstums.- Geologisches Jahrbuch, A 129: 3-195.
- (2) Gischler, E. & Korn, D. (1992): Goniatiten des Oberviseums aus Decksedimenten des Iberger Riffes, Oberharz.- Neues Jahrbuch für Geologie und Paläontologie Abhandlungen, 185 (3): 271-288.
- (3) Gischler, E. (1994): A new occurrence of „*Spirifer*“ *macrogaster* F.A. ROEMER 1852 (Brachiopoda) in lower Carboniferous limestones on top of the Iberg Reef, Germany.- Neues Jahrbuch für Geologie und Paläontologie Monatshefte, 1994 (6): 321-328.
- (4) Gischler, E. (1994): Sedimentation on three Caribbean atolls: Glovers Reef, Lighthouse Reef and Turneffe Islands, Belize.- Facies, 31: 243-254.
- (5) Gischler, E., Gräfe, K.-U. & Wiedmann, J. (1994): The upper Cretaceous *Lacazina* limestone in the Basco-Cantabrian and Iberian basins of northern Spain: cold-water grain associations in warm-water environments.- Facies, 30: 209-246.
- (6) Gischler, E. (1995): Guilds and cycles in Devonian fore reef limestones: a preliminary study (Iberg Reef, Harz Mts., Germany).- Neues Jahrbuch für Geologie und Paläontologie Monatshefte, 1995 (5): 279-294.
- (7) Gischler, E. (1995): Current and wind induced facies patterns in a Devonian atoll: Iberg Reef, Harz Mts., Germany.- Palaios, 10 (2): 180-189.
- (8) Gischler, E. (1996): Late Devonian-early Carboniferous deep-water coral assemblages and sedimentation on a Devonian seamount: Iberg Reef, Harz Mts., Germany.- Palaeogeography, Palaeoclimatology, Palaeoecology, 123 (1-4): 297-322.
- (9) Gischler, E. & Ginsburg, R.N. (1996): Cavity dwellers (coelobites) under rubble in southern Belize barrier and atoll reefs.- Bulletin of Marine Science, 58 (2): 570-589.
- (10) Ginsburg, R.N., Bak, R.P.M., Kiene, W.E., Gischler, E. & Kosmynin, V. (1996): Rapid assessment of reef condition using coral vitality.- Reef Encounter, 19: 12-13.
- (11) Gischler, E. (1997): Cavity dwellers (coelobites) beneath coral rubble in the Florida Reef Tract.- Bulletin of Marine Science, 61 (2): 467-484.
- (12) Gischler, E. & Lomando, A.J. (1997): Holocene cemented beach deposits in Belize.- Sedimentary Geology, 111 (3-4): 277-297.
- (13) Gischler, E. & Hudson, J.H. (1998): Holocene development of three isolated carbonate platforms, Belize, Central America.- Marine Geology, 144 (4): 333-347.
- (14) Gischler, E., Buck, A.C. & Meyer, G. (1998): Boiler reefs of Marie Galante, French Antilles.- Coral Reefs, 17: 214.
- (15) Gischler, E. & Lomando, A.J. (1999): Recent sedimentary facies of isolated carbonate platforms, Belize-Yucatan system, Central America.- Journal of Sedimentary Research, 69 (3): 747-763.
- (16) Gischler, E. & Pisera, A. (1999): Shallow water rhodoliths from Belize reefs.- Neues Jahrbuch für Geologie und Paläontologie Abhandlungen, 214 (1/2): 71-93.
- (17) Gischler, E. (1999): How many species of *Acropora* in the Caribbean?- Reef Encounter, 25: 10-11.
- (18) Gischler, E., Lomando, A.J., Hudson, J.H. & Holmes, C.W. (2000): Last interglacial reef growth beneath Belize barrier and isolated platform reefs.- Geology, 28 (5): 387-390.
- (19) Gischler, E. (2000): Riffentwicklung in Belize (Mittelamerika) im späten Quartär.- Natur und Museum, 130 (12): 401-415.
- (20) Gischler, E. & Lomando, A.J. (2000): Isolated carbonate platforms of Belize, Central America: sedimentary facies, late Quaternary history and controlling factors.- In: Insalaco, E., Skelton, P.W. & Palmer, T.J. (Eds.): Carbonate platform systems:

- components and interactions, Geological Society London, Special Publication, 178: 135-146.
- (21) Peckmann, J., Gischler, E., Oschmann, W. & Reitner, J. (2001): An early Carboniferous seep community and hydrocarbon-derived carbonates from the Harz Mountains, Germany.- *Geology*, 29 (5): 271-274.
  - (22) Ginsburg, R.N., Gischler, E. & Kiene, W.E. (2001): Partial mortality of massive reef-building corals: an index of patch reef condition, Florida Reef Tract.- *Bulletin of Marine Science*, 69 (3): 1149-1173.
  - (23) Multer, H.G., Gischler, E., Lundberg, J., Simmons, K. & Shinn, E.A. (2002): The Key Largo Limestone revisited: Pleistocene shelf edge facies, Florida Keys, USA.- *Facies*, 46: 229-272.
  - (24) Gischler, E. & Zingeler, D. (2002): The origin of carbonate mud in isolated carbonate platforms of Belize, Central America.- *International Journal of Earth Sciences (Geologische Rundschau)*, 91: 1054-1070.
  - (25) Gischler, E., Peckmann, J. & Sandy, M.R. (2003): *Ibergirhynchia contraria* (F.A. Roemer 1850), an early Carboniferous seep-related rhynchonellide brachiopod from the Harz Mountains, Germany - a possible successor to *Dzieduszyckia*?- *Journal of Paleontology*, 77: 293-303.
  - (26) Gischler, E. (2003): Holocene lagoonal development in isolated carbonate platforms of Belize.- In: Blanchon, P. & Montaggioni, L. (eds.): Impact of sea level and climate on Quaternary reef development.- *Sedimentary Geology*, 159: 113-132.
  - (27) Purdy, E.G. & Gischler, E. (2003): The Belize margin revisited: 1. Holocene marine facies.- *International Journal of Earth Sciences*, 92: 532-551.
  - (28) Purdy, E.G., Gischler, E. & Lomando, A.J. (2003): The Belize margin revisited: 2. Origin of Holocene antecedent topography.- *International Journal of Earth Sciences*, 92: 552-572.
  - (29) Gischler, E., Hauser, I., Heinrich, K. & Scheitel, U. (2003): Characterization of depositional environments in carbonate platforms based on benthic foraminifera, Belize, Central America.- *Palaios*, 18: 236-255.
  - (30) Gischler, E. & Hudson, J.H. (2004): Holocene development of the Belize Barrier Reef.- *Sedimentary Geology*, 164: 223-236.
  - (31) Gischler, E., Balinski, A., Fuchs, A. & Heidelberger, D. (2004): Famennian brachiopod and gastropod occurrences on top of Devonian seamounts: Elbingerode and Iberg Reefs, Harz Mts., Germany.- *Senckenbergiana Lethaea*, 84: 117-141.
  - (32) Gischler, E. & Lomando, A.J. (2005): Offshore sedimentary facies of a modern carbonate ramp, Kuwait, northwestern Arabian-Persian Gulf.- *Facies*, 50: 443-462.
  - (33) Gischler, E. & Oschmann, W. (2005): Historical climate variation in Belize (Central America) as recorded in Scleractinian coral skeletons.- *Palaios*, 20: 159-174.
  - (34) Purdy, E.G. & Gischler, E. (2005): The transient nature of the empty bucket model of reef sedimentation.- In: Reijmer, J.J.G. & Immenhauser, A. (eds.): Sedimentology in the 21st century - a tribute to Wolfgang Schlager.- *Sedimentary Geology*, 175: 35-47.
  - (35) Gischler, E., Lomando, A.J., Al-Hazeem, S.H., Fiebig, J., Eisenhauer, A. & Oschmann, W. (2005): Coral climate proxy data from a marginal reef area, Kuwait, northern Arabian-Persian Gulf.- *Palaeogeography, Palaeoclimatology, Palaeoecology*, 228: 86-95.
  - (36) Gischler, E. (2006): Sedimentation on Rasdhoo and Ari atolls, Maldives, Indian Ocean.- *Facies*, 52: 341-360.
  - (37) Gischler, E. (2006): Comment on "Corrected western Atlantic sea-level curve for the last 11,000 years based on calibrated <sup>14</sup>C dates from *Acropora palmata* framework and intertidal mangrove peat" by Toscano and Macintyre. *Coral Reefs* 22: 257-270 (2003), and their response in *Coral Reefs* 24:187-190 (2005).- *Coral Reefs*, 25: 273-279.
  - (38) Gischler (2006): Pleistocene facies of Belize barrier and atoll reefs.- *Facies*, 52: 27-41.

- (39) Gischler, E. & Kikinger, R. (2007): Effects of the tsunami of 26 December 2004 on Rasdhoo and Ari atolls, Maldives.- In: Stoddart, D.R. (ed.): Tsunamis and Coral Reefs.- Atoll Research Bulletin, 544: 93-103.
- (40) Hauser, I., Oschmann, W. & Gischler, E. (2007): Modern bivalve shell assemblages on three atolls offshore Belize (Central America, Caribbean Sea).- *Facies*, 53: 451-478.
- (41) Gischler, E. (2008): A decade of decline of massive corals in Florida patch reefs.- *Atoll Research Bulletin*, 547: 1-12.
- (42) Gischler, E. (2008): Accretion patterns in Holocene tropical coral reefs: do massive coral reefs with slowly growing corals accrete faster than branched coral (acroporid) reefs with rapidly growing corals?- *International Journal of Earth Sciences*, 97: 851-859.
- (43) Gischler, E., Gibson, M.A. & Oschmann, W. (2008): Giant Holocene freshwater microbialites, Laguna Bacalar, Quintana Roo, Mexico.- *Sedimentology*, 55: 1293-1309.
- (44) Gischler, E., Shinn, E.A., Oschmann, W., Fiebig, J. & Buster, N.A. (2008): A 1,500 year Holocene Caribbean climate archive from the Blue Hole, Lighthouse Reef, Belize.- *Journal of Coastal Research*, 24: 1495-1505.
- (45) Bitner, M.A., Logan, A. & Gischler, E. (2008): Recent brachiopods of the Persian Gulf and their biogeographical significance.- *Scientia Marina*, 72: 279-285.
- (46) Gischler, E., Hudson, J.H. & Pisera (2008): Late Quaternary reef growth and sea level in the Maldives (Indian Ocean).- *Marine Geology*, 250: 104-113.
- (47) Hauser, I., Oschmann, W. & Gischler, E. (2008): Taphonomic signatures on modern Caribbean bivalve shells offshore Belize as indicators of environmental conditions.- *Palaios*, 23: 586-600.
- (48) Gischler, E., Swart, P.K. & Lomando, A.J. (2009): Stable isotopes of carbon and oxygen in modern sediments of carbonate platforms, barrier reefs, atolls, and ramps: patterns and implications.- In: Swart, P.K., Eberli, G.P. & McKenzie, J.A. (eds.): *Perspectives in Sedimentary Geology: A Tribute to the Career of Robert Ginsburg*, International Association of Sedimentologists Special Publication, 41: 61-74.
- (49) Gischler, E. & Möder, A. (2009): Modern benthic foraminifera on Banco Chinchorro, Quintana Roo, Mexico.- *Facies*, 55: 27-35.
- (50) Gischler, E., Hudson, J.H. & Storz, D. (2009): Growth of Pleistocene massive corals in south Florida: low skeletal extension rates and possible ENSO, decadal, and multi-decadal cyclicities.- *Coral Reefs*, 28: 823-830.
- (51) Radermacher, P., Schöne, B.R., Oschmann, W., Gischler, E., Thebault, J. & Fiebig, J. (2009): Sclerochronology – a highly versatile tool for mariculture and reconstruction of life history traits of the queen conch, *Strombus gigas* (Gastropoda).- *Aquatic Living Resources*, 22: 307-318.
- (52) Gischler, E. & Storz, D. (2009): High-resolution windows into Holocene climate using proxy data from Belize corals (Central America).- *Palaeobiodiversity Palaeoenvironments*, 89: 211-221.
- (53) Gischler, E., Mossadegh, Z.K., Parker, J.H. & Storz, D. (2010): Biodiversität von Riffterrassen im Roten Meer.- *Natur und Museum*, 140 (9/10): 224-227.
- (54) Gischler, E., Ginsburg, R.N., Herrle, J.O. & Prasad, S. (2010): Mixed carbonates and siliciclastics in the Quaternary of southern Belize: Pleistocene turning points in reef development controlled by sea-level change.- *Sedimentology*, 47: 1049-1068.
- (55) Gischler, E. (2010): Possible fossil echinoid mass mortality detected in Holocene lagoons, Belize.- *Palaios*, 25: 260-268.
- (56) Gischler, E. (2010): Indo-Pacific and Atlantic spurs and grooves revisited: the possible effects of different Holocene sea level history, exposure, and reef accretion rate in the shallow fore reef.- *Facies*, 56: 173-177.

- (57) Schultz, S., Gischler, E. & Oschmann, W. (2010): Diversity, distribution, and assemblages of benthic foraminifera in atoll lagoons during the Holocene, Belize, Central America.- *Facies*, 56: 323-336.
- (58) Expedition 325 Scientists (2010): Integrated Ocean Drilling Program Expedition 325. Preliminary Report Great Barrier Reef environmental changes: The last deglacial sea level rise in the South Pacific: offshore drilling northeast Australia.- 127 S., doi:10.2204/iodp.pr.325.2010
- (59) Gischler, E. (2010): Leben und Wirken von Johannes Walther (1860-1937): ein Thüringer Geowissenschaftler von internationaler Bedeutung.- *Beiträge zur Geologie von Thüringen*, N.F., 17: 5-21.
- (60) Gischler, E., Golubic, S., Gibson, M.A., Oschmann, W. & Hudson, J.H. (2011): Microbial mats and microbialites in the freshwater Laguna Bacalar, Yucatan Peninsula, Mexico. In: Reitner, J., Queric, N.V. & Arp, G. (Hrsg.): *Advances in Stromatolite Geobiology.- Lecture Notes in Earth Science*, 131: 187-205.
- (61) Gischler, E. (2011): Sedimentary facies of Bora Bora, Darwin's type barrier reef (Society Islands, south Pacific): the unexpected occurrence of non-skeletal grains.- *Journal of Sedimentary Research*, 81: 1-17.
- (62) Storz, D., Gischler, E. (2011): Coral extension rates in the NW Indian Ocean I: reconstruction of 20th century SST variability and monsoon current strength.- *Geo-Marine Letters*, 31: 141-154.
- (63) Storz, D., Gischler, E. (2011): Coral extension rates in the NW Indian Ocean II: reconstruction of 20th century Indian monsoon strength and rainfall over India.- *Geo-Marine Letters*, 31: 155-162.
- (64) Parker, J.H. & Gischler, E. (2011): Foraminiferal distribution and diversity in two atolls from the Maldives, Indian Ocean.- *Marine Micropaleontology*, 78: 30-49.
- (65) Gischler, E. (2011): Rock Stars. Johannes Walther (1860-1937): More than the law of facies correlation.- *GSA Today*, August 2011: 12-13.
- (66) Yokoyama, Y., Webster, J.M., Cotterill, C., Braga, J.C., Jovane, L., Mills, H., Morgan, S., Suzuki, A. & IODP Expedition 325 Scientists (2011): IODP Expedition 325: Great Barrier Reef reveals past sea-level, climate and environmental changes since the last ice age.- *Scientific Drilling*, 2011 (12): 32-45.
- (67) Parker, J., Gischler, E. & Eisenhauer, A. (2012): Biodiversity of Late Pleistocene to Holocene Foraminifera from South Sinai, Egypt.- *Marine Micropaleontology*, 86-87: 59-75.
- (68) Heindel, K., Birgel, D., Brunner, B., Thiel, V., Westphal, H., Ziegenbalg, S.B., Gischler, E., Cabioch, G. & Peckmann, J. (2012): Post-glacial microbialite formation in coral reefs in the Pacific Ocean, Caribbean, and Indian Ocean.- *Chemical Geology*, 304-305: 117-130.
- (69) Mossadegh, Z.K., Parker, J. & Gischler, E. (2012): Biodiversity and community structure of Late Pleistocene foraminifera from Kish Island, Persian Gulf (Iran).- *Facies*, 58: 339-365.
- (70) Mossadegh, Z.K., Parker, J., Gischler, E., Oschmann, W., Blakeway, D. & Eisenhauer, A. (2013): Palaeoecology of well preserved coral communities in a siliciclastic environment from the Late Pleistocene (MIS 7), Kish Island, Persian Gulf (Iran): the development of low-relief reef frameworks (biostromes) in increasingly restricted environments.- *International Journal of Earth Sciences*, 102: 545-570.
- (71) Gischler, E. & Erkoc, M.M. (2013): Facies of Devonian fore reef limestones: a quantitative study (Iberg Reef, Harz Mts., Germany).- *Palaeobiodiversity and Palaeoenvironments*, 93: 91-101.
- (72) Storz, D., Gischler, E., Fiebig, J., Eisenhauer, A. & Garbe-Schönberg, D. (2013): Stable oxygen isotope and Sr/Ca ratios from a scleractinian coral from the Maldives, and the

- reconstruction of climate variability in the NW Indian Ocean.- *Palaios*, 28: 42-55.
- (73) Gischler, E., Droxler, A., Thomas, A.L., Webster, J.M., Yokoyama, Y. & Schöne, B.R. (2013): Microfacies and diagenesis of older Pleistocene (pre-LGM) reefal deposits, Great Barrier Reef, Australia (IODP Expedition 325).- *Sedimentology*, 60: 1432-1466.
- (74) Gischler, E., Dietrich, S., Harris, D., Webster, J. & Ginsburg, R.N. (2013): A comparative study of carbonate mud in reefs and carbonate platforms: mostly biogenic, some precipitated.- *Sedimentary Geology*, 292: 36-55.
- (75) Gischler, E., Anselmetti, F.S. & Shinn, E.A. (2013): Seismic stratigraphy of the Blue Hole sediments (Lighthouse Reef, Belize), a late Holocene climate and storm archive.- *Marine Geology*, 344: 155-162.
- (76) Gischler, E., Storz, D. & Schmitt, D. (2014): Sizes, shapes, and patterns of coral reefs in the Maldives, Indian Ocean: the influence of wind, storms, and precipitation on a major tropical carbonate platform.- *Carbonates and Evaporites*, 29: 73-87.
- (77) Klostermann, L., Gischler, E., Storz, D. & Hudson, J.H. (2014): Sedimentary record of late Holocene tsunami events in a mid-ocean atoll lagoon, Maldives, Indian Ocean: potential for deposition by tsunamis.- *Marine Geology*, 348: 37-43.
- (78) Storz, D., Gischler, E., Parker, J.H., Klostermann, L. (2014): Changes in diversity and assemblage structure of foraminifera through the Holocene in an atoll from the Maldives, Indian Ocean.- *Marine Micropaleontology*, 106: 40-54.
- (79) Wacker, U., Fiebig, J., Schöne, B.R., Bahr, A., Friedrich, O., Tütken, T., Gischler, E. & Joachimski, M.M. (2014): Empirical calibration of the clumped isotope thermometer using calcites of various origins.- *Geochimica Cosmochimica Acta*, 141: 127-144.
- (80) Klostermann, L. & Gischler, E. (2015): Holocene sedimentary evolution of a mid-ocean atoll lagoon, Maldives, Indian Ocean.- *International Journal of Earth Sciences*, 104: 289-307.
- (81) Hubbard, D., Gischler, E., Davies, P., Montaggioni, L., Camoin, G., Dullo, W.C., Storlazzi, C., Field, M., Fletcher, C., Grossman, E., Sheppard, C., Lescinsky, H., Fenner, D., McManus, J., Scheffers, S. (2014): Island outlook: warm and swampy. *Science*, 345: 1461.
- (82) Gischler, E. (2015): Quaternary reef response to sea level and environmental change in the western Atlantic.- *Sedimentology*, 62: 429-465.
- (83) Adomat, F. & Gischler, E. (2015): Facies patterns and evolution of coastal environments during the Holocene along the central Belize coast, Central America.- *Journal of Coastal Research*, 31: 802-826.
- (84) Harper, B.B., Puga-Bernabeau, A., Droxler, A.W., Webster, J.M., Gischler, E., Tiwari, M., Lado-Insua, T., Thomas, A.L., Morgan, S., Jovane, L. & Röhl, U. (2015): Mixed carbonate-siliciclastic sedimentation along the Great Barrier Reef upper slope: a challenge of the reciprocal sedimentation model.- *Journal of Sedimentary Research*, 85: 1019-1036.
- (85) Parker, J.H. & Gischler, E. (2015): Modern and relict foraminiferal biofacies from a carbonate ramp, offshore Kuwait, northwest Persian Gulf.- *Facies*, 61: art. 10
- (86) Adomat, F., Gischler, E. & Oschmann, W. (2016): Taxonomic and taphonomic signatures of benthic mollusk shell concentrations from coastal lagoon environments in central Belize, Central America.- *Facies*, 62: art. 5.
- (87) Gischler, E., Hudson, J.H., Humblet, M., Braga, J.C., Eisenhauer, A., Isaack, A., Anselmetti, F.S. & Camoin, G.F. (2016) Late Quaternary barrier and fringing reef development of Bora Bora (Society Islands, south Pacific): first subsurface data from the Darwin type barrier-reef system.- *Sedimentology*, 63: 1522-1549.
- (88) Adomat, F. & Gischler, E. (2016): Assessing the suitability of Holocene environments along the central Belize coast, Central America, for the reconstruction of hurricane records.- *International Journal Earth Sciences*, 106: 283-309.

- (89) Isaack, A., Gischler, E., Hudson, J.H., Anselmetti, F.A., Lohner, A., Garbode, E. & Camoin, G. (2016): A new model evaluating sediment dynamics throughout the Holocene: insights from a mixed carbonate-siliciclastic lagoon (Bora Bora, Society Islands, French Polynesia, South Pacific).- *Sedimentary Geology*, 343: 99-118.
- (90) Isaack, A. & Gischler, E. (2017): The significance of sand aprons in Holocene reefs and carbonate platforms.- *Carbonates and Evaporites*, 32: 13-25.
- (91) Schmitt, D. & Gischler, E. (2017): Recent sedimentary facies of Roatan (Bay Islands, Honduras), a Caribbean oceanic barrier reef system.- *Facies*, 63: art. 5.
- (92) Gischler, E., Heindel, K., Birgel, D., Brunner, B., Reitner, J. & Peckmann, J. (2017): Cryptic biostalactites in a submerged karst cave of the Belize Barrier Reef revisited: pendant bioconstructions cemented by microbial micrite.- *Palaeogeography Palaeoecology Palaeoclimatology*, 468: 34-51.
- (93) Gischler, E., Isaack, A. & Hudson, J.H. (2017): Sediments of the Dry Tortugas, south Florida, USA: facies distribution on a ramp-like isolated carbonate platform.- *Sedimentary Geology*, 351: 48-65.
- (94) Deveaux, M., Gischler, E., Wiebusch, M. Erkoç, M.M. (2017): A high precision gamma densitometer for quantifying skeletal density in coral skeletons: physics background and first results. *Limnology Oceanography Methods*, 15: 722-736.
- (95) Isaack, A., Gischler, E., Hudson, J.H., Anselmetti, F.S., Buhre, S. & Camoin, G.F. (2017): Facies variations in the mixed carbonate-siliciclastic lagoon of Bora Bora, French Polynesia: the influence of Holocene sea-level and climate change in the South Pacific.- *Marine Geology*, 390: 1-22.
- (96) Gischler, E., Blau, J. & Peckmann, J. (2017): *Palaxius floridanus* n. isp., a new structured thalassinoid crustacean microcoprolite from the Pleistocene of south Florida.- *Journal of Paleontology*, 91: 981-986.
- (97) Senwobari-Daryan, B., El Arab, A.G., Heindel, K., Gischler, E. & Peckmann, J. (2017): *Palaxius salataensis* Brönnimann, Cros & Zaninetti 1972, the oldest crustacean microcoprolite from the early Carboniferous of Guangxi, south China.- *Paläontologische Zeitschrift*, 91: 299-305.
- (98) Gischler, E., Birgel, D., Brunner, B., Eisenhauer, A., Meyer, G., Buhre, S. & Peckmann, J. (2017): A giant underwater encrusted stalactite from the Blue Hole, Lighthouse Reef, Belize, revisited: a complex history of biologically-induced carbonate accretion under changing meteoric and marine conditions.- *Journal of Sedimentary Research*, 87: 1260-1284.
- (99) Gischler, E. & Kuhn, G. (2018): Anatomy of the Holocene inundation of an isolated carbonate platform: Bermuda North Lagoon, western Atlantic.- *The Depositional Record*, 4: 216-254.
- (100) Gischler, E. (2018): Marine research in the Belize atolls Glovers Reef, Lighthouse Reef, and Turneffe Islands since the pioneering work of David Stoddart: a brief review.- *Atoll Research Bulletin*, 619: 19-44.
- (101) Gischler, E., Hudson, J.H., Humblet, M., Braga, J.C., Schmitt, D., Isaack, A., Eisenhauer, A. & Camoin, G.F. (2019): Holocene and Pleistocene fringing reef growth and the role of accommodation space and exposure to waves and currents (Bora Bora, Society Islands, south Pacific). *Sedimentology*, 66: 305-328.
- (102) Gischler, E., Humblet, M., Braga, J.C. & Eisenhauer, A. (2019): Last interglacial reef facies and late Quaternary subsidence in the Maldives, Indian Ocean.- *Marine Geology*, 406: 34-41.
- (103) Humblet, M., Potts, D., Webster, J.M., Braga, J.C., Iryu, Y., Yokoyama, Y., Bourillot, R., Séard, C., Droxler, A., Fujita, K., Gischler, E. & Kan, H. (2019): Late glacial to deglacial variation of corallgal assemblages in the Great Barrier Reef, Australia.- *Global and Planetary Change*, 174: 70-91.

- (104) Gischler, E. & Hudson, J.H. (2019): Holocene tropical reef accretion and lagoon sedimentation: a quantitative approach to the influence of sea-level rise, climate, and subsidence (Belize, Maldives, French Polynesia).- *The Depositional Record*, 5: 515-539.
- (105) Gischler, E. (2020): Sediments of the almost-atoll Aitutaki, Cook Islands, south Pacific.- *Sedimentary Geology*, 403: 105672.
- (106) Gischler, E., Birgel, D., Brunner, B. & Peckmann, J. (2020): Microbialite occurrence and patterns in Holocene reefs of Bora Bora, Society Islands.- *Palaios*, 35: 262-276.
- (107) Bajnai, D., Guo, W., Löffler, N., Methner, K., Krsnik, E., Coplen, T.B., Gischler, E., Hansen, M., Henkel, D., Price, G.D., Raddatz, J., Scholz, D. & Fiebig, J. (2019): Combined clumped isotope measurements resolve kinetic biases in carbonate formation temperatures.- *Nature Communications*, 11: #4005.
- (108) Schmitt, D., Gischler, E., Anselmetti, F.S. & Vogel, H. (2020): Caribbean hurricane frequency and strength – an annually resolved Common Era record.- *Scientific Reports*, 10: #11780.
- (109) Szilagy, Z., Webster, J.M., Patterson, M.A., Hips, K., Riding, R., Foley, M., Humblet, M., Yokoyama, Y., Liang, L., Gischler, E., Montaggioni, L., Gherardi, D. & Braga, J.C. (2020): Controls on the spatio-temporal distribution of microbialite crusts on the Great Barrier Reef over the past 30,000 years.- *Marine Geology*, 429: #106312.
- (110) Schmitt, D., Gischler, E., Birgel, D., Peckmann, J., Anselmetti, F.S. & Vogel, H. (2020): An annually resolved Common Era climate archive obtained from a multi-proxy analysis of a sinkhole sediment succession from Lighthouse Reef (Belize, Central America).- *Quaternary Science Reviews*, angenommen 29. August 2020.

### **Publikationen in Begutachtung**

- (111) Schmitt, D., Gischler, E. & Walkenfort, D. (2020) Holocene sediments of an inundated sinkhole – facies analysis of the Great Blue Hole, Lighthouse Reef, Belize.- *Facies*, eingereicht Juli 2020.

### **Buchbeiträge, Rezensionen, etc.**

- (1) Gischler, E. (1994): Biography of Johannes Walther (1860-1937).- *Geological Milestones*, 2: 133-136.
- (2) Gischler, E. (2000): Reefs - challenges and opportunities for the new millenium.- *Palaios*, 15 (2): 85-86.
- (3) Gischler, E. (2001): Biography of Edmund von Mojsisovics (1839-1907).- *Geological Milestones*, 5: v-viii.
- (4) Gischler, E. (2002): Subsurface geology of a prograding carbonate platform margin, Great Bahama Bank: results of the Bahamas Drilling Project - Book Review.- *Palaios*, 17: 526-527.
- (5) Gischler, E. (2003): Beachrock.- In: Middleton, G.V. (Ed.): *Encyclopedia of Sediments and Sedimentary Rocks*; Dordrecht (Kluwer Academic Publishers), S. 51-53.
- (6) Gischler, E. (2006): Comment on book review by A.M.C. Sengor on "Mojsisovics on the Triassic Reefs of the Dolomites, *Geological Milestones* 5".- *ISIS*, 97: 727.
- (7) Gischler, E. (2006): Hansmartin Hüssner. Nachruf.- *GMIT*, 26: S. 107.
- (8) Gischler, E. (2007): Beachrock and intertidal precipitates. Chapter 11 in Rigby, D. & MacLaren, S. (Hrsg.): *Chemical Sediments and Landscapes*. Blackwell, S. 365-390.
- (9) Gischler, E. (2007): Geological approaches to coral reef ecology. Book Review.- *Palaios*, v. 22, doi: 10.2110/palo.2007.BR10.

- (10) Gischler, E. (2010): Edward George Purdy. Memorial.- American Association Petroleum Geologists Bulletin, 94: 258-259.
- (11) Gischler, E. (2010): Alexander Agassiz.- In: Hopley, D. (ed.): Encyclopedia of Modern Coral Reefs; Springer, S. 15-16.
- (12) Gischler, E. (2010): Johannes Walther.- In: Hopley, D. (ed.): Encyclopedia of Modern Coral Reefs; Springer, S. 1143-1144.
- (13) Gischler, E. (2010): Blue Holes.- In: Hopley, D. (ed.): Encyclopedia of Modern Coral Reefs; Springer, S. 164-165.
- (14) Gischler, E. (2010): Holocene reefs: thickness and characteristics.- In: Hopley, D. (ed.): Encyclopedia of Modern Coral Reefs; Springer, S. 561-562.
- (15) Gischler, E. (2010): Indian Ocean reefs.- In: Hopley, D. (ed.): Encyclopedia of Modern Coral Reefs; Springer, S. 586-593.
- (16) Gischler, E. (2010): Belize barrier and atoll reefs.- In: Hopley, D. (ed.): Encyclopedia of Modern Coral Reefs; Springer, S. 112-117.
- (17) Gischler, E. (2010): Properties of reef sediments.- In: Hopley, D. (ed.): Encyclopedia of Modern Coral Reefs; Springer, S. 1005-1009.
- (18) Gischler, E. (2011): Carbonate Environments.- In: Reitner, J. & Thiel, V. (eds.): Encyclopedia of Geobiology; Springer, S. 238-266.
- (19) Gischler, E., Golubic, S., Gibson, M.A., Oschmann, W., Hudson, J.H. (2011): Microbial mats and microbialites in the freshwater Laguna Bacalar, Yucatan Peninsula, Mexico.- In: Reitner, J., Queric, N.V., Arp, G. (eds.): Advances in Stromatolite Geobiology. Springer, S. 187-205.
- (20) Gischler, E. (2016): Guyot / Atoll.- In: Meschede, M., Harff, J., Thiel, J., Petersen, S. (eds.): Encyclopedia of Marine Geosciences, Springer, S. 302-309.

### **Herausgegebene Bücher**

- (1) Ginsburg, R.N., Gischler, E. & Schlager, W. [Eds.] (1994): Johannes Walther on reefs - pioneering concepts of biogeology 1885-1910.- Geological Milestones, 2: 141 S.
- (2) Gischler, E. & Glennie, K.W. [Eds.] (1997): Johannes Walther - The law of desert formation, 1924.- Geological Milestones, 4: 273 S.
- (3) Gischler, E. [Ed.] (1999): Meischner Festschrift.- Neues Jahrbuch für Geologie und Paläontologie Abhandlungen, 214 (1/2): 373 S.
- (4) Gischler, E. [Ed.] (2001): Mojsisovics on the Triassic reefs of the Dolomites.- Geological Milestones, 5: 106 S.